Index to Volume 78

The Journal of Heredity, 1987

Adalsteinsson, S., et al.: Electron spin resonance spectrometrical study of the melanins in the wool of some North European sheep in relation to their color inheritance, 120; Fox colors in relation to colors in mice and sheep, 235.

Adenine nucleotides and other factors indicative of glycolytic metabolism in murine spermatozoa, R. P. Erickson, K. J. Harper, S. R. Hopkins, and G. J. Brewer, 407.

Allelic differences at enzyme loci and hybrid performance in maize, K. R. Lamkey, A. R. Hallauer, and A. L. Kahler, 231.

Allelism testing by double pollination of lethal maize *dek* mutants, W. F. Sheridan and J. K. Clark, 49.

Alonso, D. L., Program in BASIC for computing unbiased *F* statistics, 336.

Analysis of a male-sterile character in soybeans, R. A. Graybosch and R. G. Palmer, 66.

Analysis of genetic linkage in the cucumber, N. E. Fanourakis and P. W. Simon, 238.

Anderson, L. and S. Stack, Hypotonic bursting method for spreading synaptonemal complexes of *Zea mays*, 178.

Andersson, L. and K. Sandberg, Linkage of albino and hemoglobin β-chain loci in the rabbit, 124.

Andrews, R., Conservation biology (Rev.), 62.

Animal Genetics

Boll weevil: three autosomal mutants, 113.

Cats: banded chromosome study of the Iriomote, 105; pelage mutant allele frequencies in domestic populations of Poland, 197; gametic disequilibrium: epistasis is an unlikely cause, 204.

Cattle: inheritance of vertical fiber hide defect, 24; pericentric inversion in a X chromosome in the cow, 58; frequency of Ag-stained nucleolus organizer regions in the chromosomes, 206.

Cervidae: NORs, heterochromatin, and R-bands in three species, 108.

Didelphis albiventris: male meiotic prophase: a comparative cytological and electron microscopical study, 218.

Dog: extension locus mosaic Labrador retriever, 406.

Drosophila: Dachs, a mutant in *Tribolium* with effects analogous to engrailed in *Drosophila*, 2; balanced polymorphism at the selection limit in *D. melanogaster*, 110; lack of response to selection for directional asymmetry in *D. melanogaster*, 119; inbreeding decreases mating propensity and productivity in *D. simulans*, 271; evolution of Brazilian *D. mulleri* complex species, 282.

Falcons: chromosome study of peregrine, prairie, and gyrfalcons with implications for hybrids, 388.

Fish: inheritance of trunk coloration in the eyespot rasbora, 112.

Fowl: tardy feathering locus (*t*) located on chromosome 1 in chickens, 329.

Fox: fox colors in relation to colors in mice and sheep, 235.

Goat: R-banding pattern of the prometaphase chromosomes, 225; autosomal recessive inheritance of goiter in Dutch, 298; estimating erosion of phenotypic variation in a French population, 307.

Gorilla: chromosome heteromorphisms in karyotype: analyses with distamycin A/DAPI, quinacrine and 5-azacytidine, 287.

Hamster: brown and rust mutants of the Syrian are *p* and *b* genes of mammalian coat colors, 128; dominant white spotting in the Chinese, 280.

Honey bee: heritabilities of alarm pheromone production, 29.

Horses: genetic studies of blood markers in Przewalski's, 75; hereditary multiple exostosis: a comparative human-epidemiologic study, 171; linkage group II: phase conservation of *To* with Al^B and Gc^S, 248.

Mice: chubby: a new autosomal recessive skeletal mutation producing dwarfism, 8; linkage analysis of the murine interferon alpha locus (*Ifa*) on chromosome 4, 143; platinum coat color locus in the deer mouse, 183; fox colors in relation to colors in mice and sheep, 235; spasmodic, a mutation on chromosome 11, 353; adenine nucleotides and other factors indicative of glycolytic metabolism in murine spermatozoa, 407.

Mormoniella: separation of factors containing *R*-locus genes in stocks derived from aberrant segregation following incompatible crosses, 273.

Mosquitoes: somatic recombination events: three different karyotypes observed in the ovarian nurse cells of individual *Anopheles gambiae s. str.*, 41; genetic polymorphism, mapping, and characterization of isocitrate dehydrogenase in *Anopheles quadrimaculatus*, 187; green pupa (*gp*), a male lethal in *Culex quinquefasciatus*, 277; genetic variability and mapping of peptidase-4 in *Anopheles albimanus*, 278.

Oncopeltus fasciatus: genetic analysis of diapause differences between populations of the large milkweed bug, 266.

Otus bakkamoena: distribution of constitutive heterochromatin in the collared scops owl, 204.

Owl monkeys: synteny of *SIS* and *IGLC*: evidence for karyotype evolution, 87.

Rabbit: linkage of albino and hemoglobin β-chain loci, 124.

Rat: re-evaluation of LG V and assignment of 12 carboxylesterases to two gene clusters, 92; new mutation causing hereditary hepatitis in the laboratory, 361.

Sheep: distribution of heterozygous translocations and aneuploid spermatocyte frequency in domestic, 37; electron spin resonance spectrometrical study of the melanins in the wool of some North European in relation to their color inheritance, 120; fox colors in relation to colors in mice and sheep, 235.

Tribolium castaneum: Dachs, a mutant in *T. castaneum* with effects analogous to engrailed in *Drosophila*, 2.

Arias-C, J. A., et al., Tardy feathering locus (*t*) located on chromosome 1 in the chicken, 329.

Audiot, A., et al., Estimating erosion of phenotypic variation in a French goat population, 307.

Auer, H., et al.: NORs, heterochromatin, and R-bands in three species of Cervidae, 108; Frequency of Ag-stained nucleolus organizer regions in the chromosomes of cattle, 206.

Autosomal recessive inheritance of goiter in Dutch goats, K. Kok, J. E. van Dijk, A. Sterk, F. Baas, G-J. B. van Ommen, and J. J. M. de Vijlder, 298.

Baas, F., et al., Autosomal recessive inheritance of goiter in Dutch goats, 298.

Balanced polymorphism at the selection limit in *Drosophila melanogaster*, A. García-Dorado and C. López-Fanjul, 110.

Banded chromosome study of the Iriomote cat, D. H. Wurster-Hill, T. Doi, M. Izawa, and Y. Ono, 105.

Bandy, D. J., et al., Genetic analysis of diapause differences between populations of the large milkweed bug, 266.

Barrett, S. C. H. and J. S. Shore, Inheritance of floral and isozyme polymorphisms in *Turnera ulmifolia* L., 44.

Beechey, C. V., et al., Brown and rust mutants of the Syrian hamster are *p* and *b* genes of mammalian coat colors, 128.

Berardino, D. D., et al., R-banding pattern of the prometaphase chromosomes of the goat, 225.

Bernard, R. L. and B. A. McBlain, A new gene affecting the time of flowering and maturity in soybeans, 160.

Beversdorf, W. D., et al.: Genetic and linkage analysis of an aconitate hydratase variant in the soybean, 323; Inheritance and linkage analysis of two endopeptidase variants in soybeans, 327.

Bhasin, M. K., et al., Y-chromosome length heteromorphisms in Delhi infants, 55.

Bhaskaran, S., et al., Ribulose 1, 5-bisphosphate carboxylase activity in haploid plants of *Nicotiana tabacum*, 331.

Bhunya, S. P. and M. K. Mohanty, Distribution of constitutive heterochromatin in the collared scops owl, 204.

Bigelow, B. and D. P. Sponenberg, An extension locus mosaic Labrador retriever dog, 406.

Biochemical genetics of black pigmentation of soybean seed, R. I. Buzzell, B. R. Buttery, and D. C. MacTavish, 53.

Bitgood, J. J., et al., Tardy feathering locus (*t*) located on chromosome 1 in the chicken, 329.

Books Reviewed

Conservation Biology: The Science of Scarcity and Diversity, Michael E. Soule, Ed., 62.
Evolutionary Biology, Volume 19, Max K. Hecht, Bruce Wallace, and Ghillean T. Prance, Eds., 338.
Evolution of Genome Size, T. Cavalier-Smith, Ed., 61.
Fisher, R. A.: The Life of a Scientist, Joan Fisher Box, 215.
Genetics, Development, and Evolution, J. Perry Gustafson, G. Ledyard Stebbins, and Francisco J. Ayala, Eds., 213.
Genetics for Fish Hatchery Managers, Douglas Tave, 342.
Lampbrush Chromosomes, Harold G. Callan, 340.
Lysenkoism in China: Proceedings of the 1956 Qingdao Genetics Symposium, translated by Laurence Schneider and Qin Shizhen, 339.
Mechanisms of Morphological Evolution, Wallace Arthur, 64.
Mendel, Vítězslav Orel, 214.
Molecular Developmental Biology, Lawrence Bogorad, Ed., 63.
Population Biology and Evolution of Clonal Organisms, Jeremy B. C. Jackson, Leo W. Buss, Robert E. Cook, Eds., 337.
Satellite DNA, Thengiz Beridze, 216.
Sewall Wright and Evolutionary Biology, William B. Provine, 60.
Software Directory for Molecular Biologists, Christopher J. Rawlings, 337.
Statistics of Natural Selection, Bryan F. J. Manly, 216.

Bowling, A. T. and O. A. Ryder, Genetic studies of blood markers in Przewalski's horses, 75.
Bowling, A. T., Equine linkage group II: phase conservation of *To* with Al^B and Gc^S, 248.
Branch, W. D., Inheritance of a curly-leaf shape in peanut, 125.
Brewer, G. J., et al., Adenine nucleotides and other factors indicative of glycolytic metabolism in murine spermatozoa, 407.
Britten, E. J., et al., Meiotic behavior of hybrids of pigeonpea and two Australian native *Atylosia* species, 261.
Brown and rust mutants of the Syrian hamster are *p* and *b* genes of mammalian coat colors, R. Robinson, C. V. Beechey, and A. G. Searle, 128.
Brown, M. A., et al., Heritabilities of honey-bee alarm pheromone production, 29.
Bruère, A. N. and I. A. Stewart-Scott, Distribution of heterozygous translocations and aneuploid spermatocyte frequency in domestic sheep, 37.
Buechler, P. R., et al., Inheritance of vertical fiber hide defect in cattle, 24.
Burdick, P. J., et al., Ribulose 1, 5-bisphosphate carboxylase activity in haploid plants of *Nicotiana tabacum*, 331.
Burguete, I., et al., R-banding pattern of the prometaphase chromosomes of the goat, 225.
Burns, J. A. and S. M. Reed, The nucleolus organizer chromosomes of *Nicotiana tabacum*, 400.
Buttery, B. R., et al., Biochemical genetics of black pigmentation of soybean seed, 53.
Buzzell, R. I., et al.: Biochemical genetics of black pigmentation of soybean seed, 53; Genetic and linkage analysis of an aconitate hydratase variant in the soybean, 323; Inheritance and linkage analysis of two endopeptidase variants in soybeans, 327.
Byth, D. E., et al., Meiotic behavior of hybrids of pigeonpea and two Australian native *Atylosia* species, 261.

Capy, P., A discriminant analysis program, 336.
Cavins, J. F. and J. R. Wilcox, Gene symbol assigned for linolenic acid mutant in the soybean, 410.
Chang, M. T. and M. G. Neuffer, *Mr R-m* controlling element system in maize, 163.
Chiang, Y. C. and Y. T. Kiang, Genetic analysis of the *Lap2* locus in soybeans and tests of linkage with other loci, 131.
Chirco, E. M. and R. Provvidenti, Inheritance of resistance to peanut mottle virus in *Phaseolus vulgaris*, 402.
Chromosomal mapping of Hessian fly-resistance gene *H13* in the D genome of wheat, B. S. Gill, J. H. Hatchett, and W. J. Raupp, 97.
Chromosome heteromorphisms in the gorilla karyotype: analyses with distamycin A/DAPI, quinacrine and 5-azacytidine, T. Haaf and M. Schmid, 287.
Chromosome structure of the wild soybean: accessions from China and the Soviet Union of *Glycine soja* Sieb. and Zucc., R. G. Palmer, K. E. Newhouse, R. A. Graybosch, and X. Delannay, 243.
Chromosome study of peregrine, prairie, and gyrfalcons with implications for hybrids, S. M. Schmutz and L. W. Oliphant, 388.
Chubby: a new autosomal recessive skeletal mutation producing dwarfism in the mouse, B. Wikström, M. E. Wallace, A. Hjerpe, and B. Engfeldt, 8.
Clark, J. K. and W. F. Sheridan, Allelism testing by double pollination of lethal maize *dek* mutants, 49.
Clegg, M. T. and B. K. Epperson, Instability at a flower color locus in the morning glory, 346.
Clegg, M. T., Barbara Kuhn: 42 years of service to the American Genetic Association and to the *Journal of Heredity*, 212.
Clonal species in evolution, R. J. Schultz (Rev.), 337.
Collins, A. M., et al., Heritabilities of honey-bee alarm pheromone production, 29.

Commentary

Fisher-Mendel data, 344.
More on "In the Name of Eugenics", 344.
To the memory of the fallen Nikolai Ivanovich Vavilov (1887–1943), 343.

Computer Programs

Computer software directory (Rev.), 337.
Discriminant analysis program, 336.
Program in BASIC for computing unbiased *F* statistics, 336.

Computer software directory, M. Lederman (Rev.), 337.
Conner, G. W., et al., Separation of factors containing *R*-locus genes in *Mormoniella* stocks derived from aberrant segregation following incompatible crosses, 273.
Conservation biology, R. Andrews (Rev.), 62.
Corcos, A. F. and F. V. Monaghan: On the units of specific characters and their application to the study of hybrids (translation), 32; Reexamination of the fate of Mendel's paper, 116; Tschermak: a non-discoverer of Mendelism. II. A critique, 208; Role of de Vries in the rediscovery of Mendel's paper. II. Did de Vries really understand Mendel's paper?, 275; Correns, an independent discoverer of Mendelism? I. An historical/critical note, 330; Correns, an independent discoverer of Mendelism? II. Was Correns a real interpreter of Mendel's paper? 404.
Correction: Early identification of chlorophyll deficiency heterozygotes in large-seeded legumes, 59.
Correns, an independent discoverer of Mendelism: I. An historial/critical note, A. F. Corcos and F. V. Monaghan, 330.
Correns, an independent discoverer of Mendelism? II. Was Correns a real interpreter of Mendel's paper? A. F. Corcos and F. V. Monaghan, 404.
Coyne, J. A., Lack of response to selection for directional asymmetry in *Drosophila melanogaster*, 119.
Cundiff, L. V., et al., Inheritance of vertical fiber hide defect in cattle, 24.
Cushing, B. S., et al., Platinum coat color locus in the deer mouse, 183.
Cytogenetic and phenotypic variation in mesophyll cell-derived tetraploid potatoes, B. S. Gill, L. N. W. Kam-Morgan, and J. F. Shepard, 15.
Cytology and fertility of an intergeneric orchid hybrid, Y. H. Lee, 319.
Cytotaxonomy and evolutionary significance of two offtype millet plants: derived from a pearl millet × (pearl millet × *pennisetum squamulatum*) apomictic hybrid, M. Dujardin and W. W. Hanna, 21.

Dachs, a mutant in *Tribolium* with effects analogous to engrailed in *Drosophila*, A. Sokoloff and D. Faustini, 2.
Dahms, M. P., et al., Inheritance of vertical fiber hide defect in cattle, 24.
Dandoy, F. and E. De Maeyer, Linkage analysis of the murine interferon alpha locus (*Ifa*) on chromosome 4, 143.
Darrah, L. L., et al., A note on relationship between stability variance and ecovalence, 107.
Das, C. C., et al., Green pupa (*gp*), a male lethal in *Culex quinquefasciatus*, 277.
Das, M. K., et al., Green pupa (*gp*), a male lethal in *Culex quinquefasciatus*, 277.
Daughter's biography of R. A. Fisher, D. M. Porter (Rev.), 215.
Davis, T. M., et al., Early identification of chlorophyll deficiency heterozygotes in large-seeded legumes. Correction, 59.
Dawson, W. D., et al., Platinum coat color locus in the deer mouse, 183.
Dedera, D. A. and C. R. Werth, Inheritance of three isozyme loci in the diploid fern, *Asplenium platyneuron*, 201.
Deimling, O. v. and H. J. Hedrich, Re-evaluation of LG V of the rat and assignment of 12 carboxylesterases to two gene clusters, 92.
Delannay, X., et al.: Chromosome structure of the wild soybean: accessions from China and the Soviet Union of *Glycine soja* Sieb. and Zucc.,

243; Interspecific hybrids between the soybean and wild perennial relatives, 301.
de Maeyer, E. and F. Dandoy, Linkage analysis of the murine interferon alpha locus (*Ifa*) on chromosome 4, 143.
Dempo, K., et al., New mutation causing hereditary hepatitis in the laboratory rat, 361.
Deshpande, D. S. and A. B. Sapre: Origin of B chromosomes in *Coix* L. through spontaneous interspecific hybridization, 191; Spontaneous emergence of parents from the F_1 interspecific hybrids of *Coix* L., 357.
Desynaptic mutant in chili pepper, R. C. Panda, O. A. Kumar, and K. G. R. Rao, 101.
de Vijlder, J. J. M., et al., Autosomal recessive inheritance of goiter in Dutch goats, 298.
de Vries, H. On the units of specific characters and their application to the study of hybrids; translated by A. Corcos and F. Monaghan, 32.
Dingle, H., et al., Genetic analysis of diapause differences between populations of the large milkweed bug, 266.
Discriminant analysis program, P. Capy, 336.
Distribution of constitutive heterochromatin in the collared scops owl, S. P. Bhunya and M. K. Mohanty, 204.
Distribution of heterozygous translocations and aneuploid spermatocyte frequency in domestic sheep, I. A. Stewart-Scott and A. N. Bruère, 37.
Dodson, K. M., et al., Platinum coat color locus in the deer mouse, 183.
Doi, T., et al., Banded chromosome study of the Iriomote cat, 105.
Dominant white spotting in the Chinese hamster, C. Henwood, J. Henwood, and R. Robinson, 280.
Dowse, H., et al., Inbreeding decreases mating propensity and productivity in *Drosophila simulans*, 271.
Dujardin, M. and W. W. Hanna, Cytotaxonomy and evolutionary significance of two offtype millet plants derived from a pearl millet × (pearl millet × *Pennisetum squamulatum*) apomictic hybrid, 21.
Duke, S. O., et al., Structural and physiological studies of a plastome cotton mutant with slow sorting out, 147.
Duncan, C. N. and S. C. Weller, Heritability of glyphosate susceptibility among biotypes of field bindweed, 257.
Dundas, I. S., et al., Meiotic behavior of hybrids of pigeonpea and two Australian native *Atylosia* species, 261.

Eckhardt, R. B.: Morphological evolution (Rev.), 64; Statistics of natural selection (Rev.), 216; Evolutionary biology series continues (Rev.), 338.
Edge, M. E., et al., Interspecific hybrids between the soybean and wild perennial relatives, 301.
Ehlers, J. D., et al., Early identification of chlorophyll deficiency heterozygotes in large-seeded legumes. Correction, 59.
Elder, Jr., J. F., Fish genetics for the layman (Rev.), 342.
Electron spin resonance spectrometrical study of the melanins in the wool of some North European sheep in relation to their color inheritance, E. B. Vsevolodov, S. Adalsteinsson, and M. L. Ryder, 120.
Ellstrand, N. C. and J. M. Lee, Inheritance and linkage of isozymes in the cherimoya, 383.
Endrizzi, J. E., et al., Structural and physiological studies of a plastome cotton mutant with slow sorting out, 147.
Engfeldt, B. et al., Chubby: a new autosomal recessive skeletal mutation producing dwarfism in the mouse, 8.
Epperson B. K. and M. T. Clegg, Instability at a flower color locus in the morning glory, 346.
Equine linkage group II: phase conservation to *To* with Al^B and Gc^S, A. T. Bowling, 248.
Erickson, R. P., et al., Adenine nucleotides and other factors indicative of glycolytic metabolism in murine spermatozoa, 407.
Estimating erosion of phenotypic variation in a French goat population, J. J. Lauvergne, C. Renieri, and A. Audiot, 307.
Estimation of genetic variability in two maize populations, L. R. Reeder, Jr., A. R. Hallauer, and K. R. Lamkey, 372.
Everett, A. L., et al., Inheritance of vertical fiber hide defect in cattle, 24.
Evolutionary biology series continues, R. B. Eckhardt, (Rev.), 338.
Evolution of Brazilian *Drosophila mulleri* complex species, M. Wasserman and R. H. Richardson, 282.
Evolution of genome size, B. J. Turner (Rev.), 61.
Extension locus mosaic Labrador retriever dog, D. P. Sponenberg and B. Bigelow, 406.

Fabergé, A. C., Lampbrush chromosomes (Rev.), 340.
Fanourakis, N. E. and P. W. Simon: Analysis of genetic linkage in the cucumber, 238; Inheritance and linkage studies of the fruit epidermal structure in cucumber, 369.
Faris, D. G., et al., Nucleolar behavior in pollen mother cells in the pigeonpea, 366.
Faustini, D. and A. Sokoloff, Dachs, a mutant in *Tribolium* with effects analogous to engrailed *Drosophila*, 2.
Fifty years of genetic load, the Wilhelmine E. Key 1986 invitational lecture, B. Wallace, 134.
Fisher-Mendel data, R. R. Lebel, (Commentary) 344.
Fish genetics for the layman, J. F. Elder, Jr. (Rev.), 342.
Fox colors in relation to colors in mice and sheep, S. Adalsteinsson, P. Hersteinsson, and E. Gunnarsson, 235.
Frankel, J. S., Inheritance of trunk coloration in the eye-spot rasbora, 112.
Frequency of Ag-stained nucleolus organizer regions in the chromosomes of cattle, B. Mayr, W. Schleger, and H. Auer, 206.
Further genetic analysis and linkage relationships of isozyme loci in the pea: confirmation of the diploid nature of the genome, N. F. Weeden and G. A. Marx, 153.

Gametic disequilibrium in cats: epistasis is an unlikely cause, P. W. Hedrick, 204.
Ganser, A. L., et al., Spasmodic, a mutation on chromosome 11 in the mouse, 353.
García-Dorado, A. and C. López-Fanjul, Balanced polymorphism at the selection limit in *Drosophila melanogaster*, 110.
Gardner, E. J., et al., Hereditary multiple exostosis: a comparative human-equine-epidemiologic study, 171.
Gathman, A. C. and D. T. Ray, Meiotic analysis of 14 *Cuphea* species and two interspecific hybrids, 315.

General Genetics

Correns, an independent discoverer of Mendelism? I. An historical/critical note, 330.
Correns, an independent discoverer of Mendelism? II. Was Correns a real interpreter of Mendel's paper? 404.
Fifty years of genetic load, the Wilhelmine E. Key 1986 invitational lecture, 134.
Kuhn, Barbara: 42 years of service to the American Genetic Association and to the *Journal of Heredity*, 212.
Note on relationship between stability variance and ecovalence, 107.
On the units of specific characters and their application to the study of hybrids, 32.
Reexamination of the fate of Mendel's paper, 116.
Role of de Vries in the rediscovery of Mendel's paper. II. Did de Vries really understand Mendel's paper?, 275.
Tschermak: a non-discoverer of Mendelism. II. A critique, 208.

Gene symbol assigned for linolenic acid mutant in the soybean, J. R. Wilcox and J. F. Cavins, 410.
Genetic analysis of diapause differences between populations of the large milkweed bug, J. L. Hayes, D. J. Bandy, and H. Dingle, 266.
Genetic analysis of the *Lap2* locus in soybeans and tests of linkage with other loci, Y. T. Kiang and Y. C. Chiang, 131.
Genetic and linkage analysis of an aconitate hydratase variant in the soybean, B. D. Rennie, W. D. Beversdorf, and R. I. Buzzell, 323.
Genetic, developmental, and environmental influences on *Oy-700* expression in maize, M. L. Polacco and D. B. Walden, 81.
Genetic polymorphism, mapping, and characterization of isocitrate dihydrogenase in *Anopheles quadrimaculatus*, S. S. Kim, S. K. Narang, and J. A. Seawright, 187.
Genetics of grain amaranths. III. Gene-cytoplasmic male sterility, I. Peters and S. Jain, 251.
Genetics of grain amaranths. II. The inheritance of determinance, panicle orientation, dwarfism, and embryo color in *Amaranthus caudatus*, P. A. Kulakow, 293.
Genetic studies of blood markers in Przewalski's horses, A. T. Bowling and O. A. Ryder, 75.
Genetic variability and mapping of peptidase-4 in *Anopheles albimanus*, S. K. Narang, J. A. Seawright, N. L. Willis, and M. F. Suarez, 278.
Gill, B. S., et al.: Cytogenetic and phenotypic variation in mesophyll cell-derived tetraploid potatoes, 15; Chromosomal mapping of Hessian fly-resistance gene *H13* in the D genome of wheat, 97.
Glossy genes in pearl millet, S. A. Rao, M. H. Mengesha, C. R. Reddy, 333.
Gordon, G. H., et al., Meiotic behavior of hybrids of pigeonpea and two Australian native *Atylosia* species, 261.
Graybosch, R. A. and R. G. Palmer, Analysis of a male-sterile character in soybeans, 66.
Graybosch, R. A., et al., Chromosome structure of the wild soybean: accessions from China and the Soviet Union of *Glycine soja* Sieb. and Zucc., 243.
Green pupa (*gp*), a male lethal in *Culex quinquefasciatus*, M. K. Das, N. K. Tripathy, and C. C. Das, 277.
Griesbach, R. J. and P. Semeniuk, Use of soma-

clonal variation in the improvement of *Eustoma grandiflorum*, 114.
Griffin, J. D. and R. G. Palmer, Locating the *Sp1* locus on soybean linkage group 1, 122.
Gunnarsson, E., et al., Fox colors in relation to colors in mice and sheep, 235.

Haaf, T. and M. Schmid, Chromosome heteromorphisms in the gorilla karyotype: analyses with distamycin A/DAPI, quinacrine and 5-azacytidine, 287.
Haigh, G. R., et al., Platinum coat color locus in the deer mouse, 183.
Hallauer, A. R., et al.: Allelic differences at enzyme loci and hybrid performance in maize, 231; Estimation of genetic variability in two maize populations, 372.
Hanna, W. W. and M. Dujardin, Cytotaxonomy and evolutionary significance of two offtype millet plants derived from a pearl millet × (pearl millet × *Pennisetum squamulatum*) apomictic hybrid, 21.
Hannigan, M. V., et al., Inheritance of vertical fiber hide defect in cattle, 24.
Harbo, J. R., et al., Heritabilities of honey-bee alarm pheromone production, 29.
Harper, K. J., et al., Adenine nucleotides and other factors indicative of glycolytic metabolism in murine spermatozoa, 407.
Hatchett, J. H., et al., Chromosomal mapping of Hessian fly-resistance gene *H13* in the D genome of wheat, 97.
Hayes, J. L., et al., Genetic analysis of diapause differences between populations of the large milkweed bug, 266.
Hedrich, H. J. and O. v. Deimling, Re-evaluation of LG V of the rat and assignment of 12 carboxylesterases to two gene clusters, 92.
Hedrick, P. W., Gametic disequilibrium in cats: epistasis is an unlikely cause, 204.
Henwood, C., et al., Dominant white spotting in the Chinese hamster, 280.
Henwood, J., et al., Dominant white spotting in the Chinese hamster, 280.
Hereditary multiple exostosis: a comparative human-equine-epidemiologic study, N. C. Leone, J. L. Shupe, E. J. Gardner, E. A. Millar, A. E. Olson, and E. C. Phillips, 171.
Heritabilities of honey-bee alarm pheromone production, A. M. Collins, M. A. Brown, T. E. Rinderer, J. R. Harbo, and K. W. Tucker, 29.
Heritability of glyphosate susceptibility among biotypes of field bindweed, C. N. Duncan and S. C. Weller, 257.
Hersteinsson, P., et al., Fox colors in relation to colors in mice and sheep, 235.
Hjerpe, A., et al., Chubby: a new autosomal recessive skeletal mutation producing dwarfism in the mouse, 8.
Hopkins, S. R., et al., Adenine nucleotides and other factors indicative of glycolytic metabolism in murine spermatozoa, 407.

Human Genetics

Hereditary multiple exostosis: a comparative human-equine-epidemiologic study, 171.
Model for evaluating the effect of son or daughter preference on population size, 377.
Y-chromosome length heteromorphisms in Delhi infants, 55.

Hunt, R. H., Somatic recombination events in mosquitoes: three different karyotypes observed in the ovarian nurse cells of individual *Anopheles gambiae s. str.*, 41.
Hypotonic bursting method for spreading synaptonemal complexes of *Zea mays*, S. Stack and L. Anderson, 178.

Improved technique for cytological observations and occurrence of polysomaticism in sorghum root tips, H. Tang and G. H. Liang, 51.
Inbreeding decreases mating propensity and productivity in *Drosophila simulans*. J. Ringo, H. Dowse, and S. Lagasse, 271.
Inheritance and linkage analysis of two endopeptidase variants in soybeans, B. D. Rennie, W. D. Beversdorf, and R. I. Buzzell, 327.
Inheritance and linkage of isozymes in the cherimoya, J. M. Lee and N. C. Ellstrand, 383.
Inheritance and linkage studies of the fruit epidermal structure in cucumber, N. E. Fanourakis and P. W. Simon, 369.
Inheritance of a curly-leaf shape in peanut, W. D. Branch, 125.
Inheritance of a xantha chlorophyll deficiency in lentil, A. Vandenberg and A. E. Slinkard, 130.
Inheritance of floral and isozyme polymorphisms in *Turnera ulmifolia* L., J. S. Shore and S. C. H. Barrett, 44.
Inheritance of pink filament in cotton, F. D. Wilson, 223.
Inheritance of resistance to clover yellow vein virus in *Pisum sativum*, R. Provvidenti, 126.
Inheritance of resistance to peanut mottle virus in *Phaseolus vulgaris*, R. Provvidenti and E. M. Chirco, 402.
Inheritance of three isozyme loci in the diploid fern, *Asplenium platyneuron*, D. A. Dedera and C. R. Werth, 201.
Inheritance of trunk coloration in the eye-spot rasbora, J. S. Frankel, 112.
Inheritance of vertical fiber hide defect in cattle, L. V. Cundiff, P. R. Buechler, M. V. Hannigan, A. L. Everett, and M. P. Dahms, 24.
Instability at a flower color locus in the morning glory, B. K. Epperson and M. T. Clegg, 346.
Interallelic relations among endosperm variants in sorghum, D. S. Murty and K. D. Nicodemus, 391.
Interspecific hybrids between the soybean and wild perennial relatives, C. A. Newell, X. Delannay, and M. E. Edge, 301.
Isozyme variation in proso millet, S. I. Warwick, 210.
Izawa, M., et al., Banded chromosome study of the Iriomote cat, 105.

Jain, S. and I. Peters, Genetics of grain amaranths. III. Gene-cytoplasmic male sterility, 251.

Kahler, A. L., et al., Allelic differences at enzyme loci and hybrid performance in maize, 231.
Kalat, M., et al., NORs, heterochromatin, and R-bands in three species of Cervidae, 108.
Kam-Morgan, L. N. W., et al., Cytogenetic and phenotypic variation in mesophyll cell-derived tetraploid potatoes, 15.
Kang, M. S., et al., A note on relationship between stability variance and ecovalence, 107.
Kerner, A-L., et al., Spasmodic, a mutation on chromosome 11 in the mouse, 353.
Kevles, D. J., More on "In the Name of Eugenics" (Commentary), 344.
Key lecture: Fifty years of genetic load, B. Wallace, 134.
Kiang, Y. T. and Y. C. Chiang, Genetic analysis of the *Lap2* locus in soybeans and tests of linkage with other loci, 131.
Kiang, Y-T., et al., Early identification of chlorophyll deficiency heterozygotes in large-seeded legumes; correction, 59.
Kim, S. S., et al., Genetic polymorphism, mapping, and characterization of isocitrate dehydrogenase in *Anopheles quadrimaculatus*, 187.
Kiorpes, C. A., et al., Tardy feathering locus (*t*) located on chromosome 1 in the chicken, 329.
Kobayashi, K., et al., New mutation causing hereditary hepatitis in the laboratory rat, 361.
Kok, K., et al., Autosomal recessive inheritance of goiter in Dutch goats, 298.
Krutzler, J., et al., NORs, heterochromatin, and R-bands in three species of Cervidae, 108.
Kuhn, Barbara: 42 years of service to the American Genetic Association and to the *Journal of Heredity*, M. T. Clegg, 212.
Kulakow, P. A., Genetics of grain amaranths. II. The inheritance of determinance, panicle orientation, dwarfism, and embryo color in *Amaranthus caudatus*, 293.
Kumar, O. A., et al., Desynaptic mutant in chili pepper, 101.
Kumar, P. S., et al., Nucleolar behavior in pollen mother cells in the pigeonpea, 366.

Lack of response to selection for directional asymmetry in *Drosophila melanogaster*, J. A. Coyne, 119.
Lagasse, S., et al., Inbreeding decreases mating propensity and productivity in *Drosophila simulans*, 271.
Lamkey, K. R., et al.: Allelic differences at enzyme loci and hybrid performance in maize, 231; Estimation of genetic variability in two maize populations, 372.
Lampbrush chromosomes, A. C. Fabergé, (Rev.), 340.
Lane, P. W., et al., Spasmodic, a mutation on chromosome 11 in the mouse, 353.
Lauvergne, J. J., et al., Estimating erosion of phenotypic variation in a French goat population, 307.
Lax, A. R., et al., Structural and physiological studies of a plastome cotton mutant with slow sorting out, 147.
Leaf striping correlated with the presence of B chromosomes in maize, R. W. Staub, 71.
Lebel, R. R., Fisher-Mendel data (Commentary), 344.
Lederman, M., Computer software directory (Rev.), 337.
Lee, J. M. and N. C. Ellstrand, Inheritance and linkage of isozymes in the cherimoya, 383.
Lee, Y. H., Cytology and fertility of an intergeneric orchid hybrid, 319.
Leone, N. C., et al., Hereditary multiple exostosis: a comparative human-equine-epidemiologic study, 171.
Liang, G. H. and H. Tang, An improved technique for cytological observations and occurrence of polysomaticism in sorghum root tips, 51.
Li, C. C.: Lysenkoism in China (Rev.), 339; To the memory of the fallen Nikolai Ivanovich Vavilov (1887–1943) (Commentary), 343.
Linkage analysis of the murine interferon alpha locus (*Ifa*) on chromosome 4, E. De Maeyer and F. Dandoy, 143.
Linkage of albino and hemoglobin β-chain loci in the rabbit, K. Sandberg and L. Andersson, 124.
Lioi, M. B., et al., R-banding pattern of the prometaphase chromosomes of the goat, 225.

Locating the *Sp1* locus on soybean linkage group 1, J. D. Griffin and R. G. Palmer, 122.
López-Fanjul, C. and A. García-Dorado, Balanced polymorphism at the selection limit in *Drosophila melanogaster*, 110.
Lysenkoism in China, C. C. Li, (Rev.), 339.

MacTavish, D. C., et al., Biochemical genetics of black pigmentation of soybean seed, 53.
Male meiotic prophase in *Didelphis albiventris*: a comparative cytological and electron microscopical study, G. A. Seluja, L. Roche, and A. J. Solari, 218.
Ma, N. S. F., Synteny of *SIS* and *IGLC* in owl monkeys: evidence for karyotype evolution, 87.
Marx, G. A. and N. F. Weeden, Further genetic analysis and linkage relationships of isozyme loci in the pea: confirmation of the diploid nature of the genome, 153.
Masuda, R., et al., New mutation causing hereditary hepatitis in the laboratory rat, 361.
Matassino, D., et al., R-banding pattern of the prometaphase chromosomes of the goat, 225.
Mayr, B., et al.: NORs, heterochromatin, and R-bands in three species of Cervidae, 108; Frequency of Ag-stained nucleolus organizer regions in the chromosomes of cattle, 206.
McBlain, B. A. and R. L. Bernard, A new gene affecting the time of flowering and maturity in soybeans, 160.
McCoy, J. R. and J. E. Wright, Three autosomal mutants of the boll weevil, 113.
Meiotic analysis of 14 *Cuphea* species and two interspecific hybrids, A. C. Gathman and D. T. Ray, 315.
Meiotic behavior of hybrids of pigeonpea and two Australian native *Atylosia* species, I. S. Dundas, E. J. Britten, D. E. Byth, and G. H. Gordon, 261.
Meiotic chromosome pairing and irregularities in blueberry interspecific backcross-1 hybrids, N. Vorsa, 395.
Mendel's times, R. F. Shaw (Rev.), 214.
Mengesha, M. H., et al., Glossy genes in pearl millet, 333.
Millar, E. A., et al., Hereditary multiple exostosis: a comparative human-equine-epidemiologic study, 171.
Miller, J. D., et al., A note on relationship between stability variance and ecovalence, 107.
Model for evaluating the effect of son or daughter preference on population size, M. I. Osman and T. S. Yamashita, 377.
Mohanty, M. K. and S. P. Bhunya, Distribution of constitutive heterochromatin in the collared scops owl, 204.
Molecular developmental biology, D. G. Yardley (Rev.), 63.
Monaghan, F. V. and A. F. Corcos: On the units of specific characters and their application to the study of hybrids (translation), 32; Reexamination of the fate of Mendel's paper, 116; Tschermak: a non-discoverer of Mendelism. II. A critique, 208; Role of de Vries in the rediscovery of Mendel's paper. II. Did de Vries really understand Mendel's paper?, 275; Correns, an independent discoverer of Mendelism? I. An historical/critical note, 330; Correns, an independent discoverer of Mendelism? II. Was Correns a real interpreter of Mendel's paper? 404.
More on "In the Name of Eugenics" D. J. Kevles (Commentary), 344.
Mori, M., et al., New mutation causing hereditary hepatitis in the laboratory rat, 361.
Morphological evolution, R. B. Eckhardt (Rev.), 64.
Mr R-m controlling element system in maize, M. T. Chang and M. G. Neuffer, 163.
Murty, D. S. and K. D. Nicodemus, Interallelic relations among endosperm variants in sorghum, 391.
Musich, P. R., Plant and animal satellite DNAs (Rev.), 216.

Narang, S. K., et al.: Genetic polymorphism, mapping, and characterization of isocitrate dehydrogenase in *Anopheles quadrimaculatus*, 187; Genetic variability and mapping of peptidase-4 in *Anopheles albimanus*, 278.
Neuffer, M. G. and M. T. Chang, *Mr R-m* controlling element system in maize, 163.
Newell, C.A., et al., Interspecific hybrids between the soybean and wild perennial relatives, 301.
New gene affecting the time of flowering and maturity in soybeans, B. A. McBlain and R. L. Bernard, 160.
Newhouse, K. E., et al., Chromosome structure of the wild soybean: accessions from China and the Soviet Union of *Glycine soja* Sieb. and Zucc., 243.
New mutation causing hereditary hepatitis in the laboratory rat, M. C. Yoshida, R. Masuda, M. Sasaki, N. Takeichi, H. Kobayashi, K. Dempo, and M. Mori, 361.
Nicodemus, K. D. and D.S. Murty, Interallelic relations among endosperm variants in sorghum, 391.
Note on relationship between stability variance and ecovalence, M. S. Kang, J. D. Miller, and L. L. Darrah, 107.
Nucleolar behavior in pollen mother cells in the pigeonpea, P. S. Kumar, N.C. Subrahmanyam, and D. G. Faris, 366.
Nucleolus organizer chromosomes of *Nicotiana tabacum*, S. M. Reed and J. A. Burns, 400.
Nucleolus organizer regions, heterochromatin, and R-bands in three species of Cervidae, B. Mayr, J. Krutzler, H. Auer, M. Kalat, and W. Schleger, 108.

Oliphant, L. W. and S. M. Schmutz, Chromosome study of peregrine, prairie, and gyrfalcons with implications for hybrids, 388.
Olson, A. E., et al., Hereditary multiple exostosis: a comparative human-equine-epidemiologic study, 171.
Ono, Y., et al., Banded chromosome study of the Iriomote cat, 105.
On the trail of the unknown in biology, S. N. Salthe (Rev.), 213.
On the units of specific characters and their application to the study of hybrids, Hugo de Vries. (Translated by A. Corcos and F. Monaghan), 32.
Origin of B chromosomes in *Coix* L. through spontaneous interspecific hybridization, A. B. Sapre and D. S. Deshpande, 191.
Osman, M. I. and T. S. Yamashita, A model for evaluating the effect of son or daughter preference on population size, 377.

Palmer, R. G. and J. D. Griffin, Locating the *Sp1* locus on soybean linkage group 1, 122.
Palmer, R. G. and R. A. Graybosch, Analysis of a male-sterile character in soybeans, 66.
Palmer, R. G., et al., Chromosome structure of the wild soybean: accessions from China and the Soviet Union of *Glycine soja* Sieb. and Zucc., 243.
Panda, R. C., et al., Desynaptic mutant in chili pepper, 101.
Pelage mutant allele frequencies in domestic cat populations of Poland, A. Wagner and M. Wolsan, 197.
Pericentric inversion in an X chromosome in the cow, M.Świtoński, 58.
Peters, I. and S. Jain, Genetics of grain amaranths. III. Gene-cytoplasmic male sterility, 251.
Phillips, E. C., et al., Hereditary multiple exostosis: a comparative human-equine-epidemiologic study, 171.
Plant and animal satellite DNAs, P. R. Musich (Rev.), 216.

Plant Genetics

Amaranths: gene-cytoplasmic male sterility, 251; inheritance of determinance, panicle orientation, dwarfism, and embryo color, 293.
Asplenium platyneuron: inheritance of three isozyme loci in diploid fern, 201.
Atylosia: meiotic behavior of hybrids of pigeonpea and two Australian native species, 261.
Blueberry: meiotic chromosome pairing and irregularities in interspecific backcross-1 hybrids, 395.
Cherimoya: inheritance and linkage of isozymes, 383.
Coix L.: origin of B chromosomes through spontaneous interspecific hybridization, 191; spontaneous emergence of parents from the F_1 interspecific hybrids, 357.
Convolvulus arvensis L.: heritability of glyphosate susceptibility among biotypes of field bindweed, 257.
Cotton: structural and physiological studies of a plastome mutant with slow sorting out, 147; inheritance of pink filament, 223.
Cucumber: analysis of genetic linkage, 238; inheritance and linkage studies of the fruit epidermal structure, 369.
Cuphea: meiotic analysis of 14 species and two interspecific hybrids, 315.
Eustoma grandiflorum: use of somaclonal variation in plant improvement, 114.
Lentil: inheritance of a xantha chlorophyll deficiency, 130.
Maize: allelism testing by double pollination of lethal *dek* mutants, 49; leaf striping correlated with the presence of B chromosomes, 71; genetic, developmental, and environmental influences on *Oy-700* expression, 81; *Mr R-m* controlling element system, 163; hypotonic bursting method for spreading synaptonemal complexes of *Zea mays*, 178; allelic differences at enzyme loci and hybrid performance, 231; estimation of genetic variability in two populations, 372.
Morning glory: instability at a flower color locus, 346.
Nicotiana: ribulose 1, 5-bisphosphate carboxylase activity in haploid plants of *N. tabacum*, 331; nucleolus organizer chromosome of *N. tabacum*, 400.
Orchid: cytology and fertility of an intergeneric hybrid, 319.
Panicum miliaceum L.: isozyme variation in proso millet, 210.
Peanut: inheritance of a curly-leaf shape, 125.
Pearl millet: cytotaxonomy and evolutionary significance of two offtype plants derived from a pearl millet × (pearl millet × *Pennise-*

tum squamulatum) apomictic hybrid, 21; glossy genes, 333.
Pennisetum squamulatum: cytotaxonomy and evolutionary significance of two offtype plants derived from a pearl millet × (pearl millet × *P. squamulatum*) apomictic hybrid, 21.
Pepper: desynaptic mutant in chili, 101.
Phaseolus vulgaris: inheritance of resistance to peanut mottle virus, 402.
Pigeonpea: meiotic behavior of hybrids of pigeonpea and two Australian native *Atylosia* species, 261; nucleolar behavior in pollen mother cells, 366.
Pisum sativum: inheritance of resistance to clover yellow vein virus, 126; further genetic analysis and linkage relationships of isozyme loci in the pea: confirmation of the diploid nature of the genome, 153.
Potatoes: cytogenetic and phenotypic variation in mesophyll cell-derived tetraploid, 15.
Sorghum: an improved technique for cytological observations and occurrence of polysomaticism in root tips, 51; interallelic relations among endosperm variants, 391.
Soybean: biochemical genetics of black pigmentation of seed, 53; early identification of chlorophyll deficiency heterozygotes in large-seeded legumes, correction, 59; analysis of a male-sterile character, 66; locating the *Sp1* locus on linkage group 1, 122; genetic analysis of the *Lap2* locus and tests of linkage with other loci, 131; new gene affecting the time of flowering and maturity, 160; chromosome structure of wild accessions from China and the Soviet Union of *Glycine soja* Sieb. and Zucc., 243; interspecific hybrids between the soybean and wild perennial relatives, 301; genetic and linkage analysis of an aconitate hydratase variant, 323; inheritance and linkage analysis of two endopeptidase variants, 327; gene symbol assigned for linolenic acid mutant, 410.
Turnera ulmifolia L.: inheritance of floral and isozyme polymorphisms, 44.
Wheat: chromosomal mapping of Hessian fly-resistance gene *H13* in the D genome, 97.

Platinum coat color locus in the deer mouse, K. M. Dodson, W. D. Dawson, S. O. Van Ooteghem, B. S. Cushing, and G. R. Haigh, 183.
Polacco, M. L. and D. B. Walden, Genetic, developmental, and evironmental influences on *Oy-700* expression in maize, 81.
Porter, D. M., A daughter's biography of R. A. Fisher (Rev.), 215.
Potluri, V. R., et al., Y-chromosome length heteromorphisms in Delhi infants, 55.
Program in BASIC for computing unbiased *F* statistics, D. L. Alonso, 336.
Provvidenti, R. and E. M. Chirco, Inheritance of resistance to peanut mottle virus in *Phaseolus vulgaris*, 402.
Provvidenti, R., Inheritance of resistance to clover yellow vein virus in *Pisum sativum*, 126.

Rao, K. G. R., et al., Desynaptic mutant in chili pepper, 101.
Rao, S. A., et al., Glossy genes in pearl millet, 333.
Raupp, W. J., et al., Chromosomal mapping of Hessian fly-resistance gene *H13* in the D genome of wheat, 97.
Ray, D. T. and A. C. Gathman, Meiotic analysis of 14 *Cuphea* species and two interspecific hybrids, 315.
R-banding pattern of the prometaphase chromosomes of the goat, D. D. Berardino, M. Ronne, I. Burguete, M. B. Lioi, L. Taibi, and D. Matassino, 225.
Reddy, C. R., et al., Glossy genes in pearl millet, 333.
Reeder, L. R., Jr., et al., Estimation of genetic variability in two maize populations, 372.
Reed, S. M. and J. A. Burns, The nucleolus organizer chromosomes of *Nicotiana tabacum*, 400.
Reevaluation of LG V of the rat and assignment of 12 carboxylesterases to two gene clusters, H. J. Hedrich and O. v. Deimling, 92.
Reexamination of the fate of Mendel's paper, F. V. Monaghan and A. F. Corcos, 116.
Renieri, C., et al., Estimating erosion of phenotypic variation in a French goat population, 307.
Rennie, B. D., et al.: Genetic and linkage analysis of an aconitate hydratase variant in the soybean, 323; Inheritance and linkage analysis of two endopeptidase variants in soybeans, 327.
Ribulose 1, 5-bisphosphate carboxylase activity in haploid plants of *Nicotiana tabacum*, S. Bhaskaran, P. J. Burdick, and R. H. Smith, 331.
Richardson, R. H. and M.Wasserman, Evolution of Brazilian *Drosophila mulleri* complex species, 282.
Rinderer, T. E., et al., Heritabilities of honey-bee alarm pheromone production, 29.
Ringo, J., et al., Inbreeding decreases mating propensity and productivity in *Drosophila simulans*, 271.
Robinson, R., et al: Brown and rust mutants of the Syrian hamster are *p* and *b* genes of mammalian coat colors, 128; Dominant white spotting in the Chinese hamster, 280.
Roche, L., et al., Male meiotic prophase in *Didelphis albiventris*: a comparative cytological and electron microscopical study, 218.
Role of de Vries in the rediscovery of Mendel's paper. II. Did de Vries really understand Mendel's paper?, A. F. Corcos and F. V. Monaghan, 275.
Ronne, M., et al., R-banding pattern of the prometaphase chromosomes of the goat, 225.
Ryan, S. L., et al., Separation of factors containing *R*-locus genes in *Mormoniella* stocks derived from aberrant segregation following incompatible crosses, 273.
Ryder, M. L., et al., Electron spin resonance spectrometrical study of the melanins in the wool of some North European sheep in relation to their color inheritance, 120.
Ryder, O. A. and A. T. Bowling, Genetic studies of blood markers in Przewalski's horses, 75.

Salthe, S. N., On the trail of the unknown in biology (Rev.), 213.
Sandberg, K. and L. Andersson, Linkage of albino and hemoglobin β-chain loci in the rabbit, 124.
Sapre, A. B. and D. S. Deshpande: Origin of B chromosomes in *Coix* L. through spontaneous interspecific hybridization, 191; Spontaneous emergence of parents from the F_1 interspecific hybrids of *Coix* L., 357.
Sasaki, M., et al., New mutation causing hereditary hepatitis in the laboratory rat, 361.
Saul, 2nd, G. B., et al., Separation of factors containing *R*-locus genes in *Mormoniella* stocks derived from aberrant segregation following incompatible crosses, 273.
Schleger, W., et al.: NORs, heterochromatin, and R-bands in three species of Cervidae, 108; Frequency of Ag-stained nucleolus organizer regions in the chromosomes of cattle, 206.
Schmid, M. and T. Haaf, Chromosome heteromorphisms in the gorilla karyotype: analyses with distamycin A/DAPI, quinacrine and 5-azacytidine, 287.
Schmutz, S. M. and L. W. Oliphant, Chromosome study of peregrine, prairie, and gyrfalcons with implications for hybrids, 388.
Schultz, R. J., Clonal species in evolution (Rev.), 337.
Searle, A. G., et al., Brown and rust mutants of the Syrian hamster are *p* and *b* genes of mammalian coat colors, 128.
Seawright, J. A., et al: Genetic polymorphism, mapping, and characterization of isocitrate dehydrogenase in *Anopheles quadrimaculatus*, 187; Genetic variability and mapping of peptidase-4 in *Anopheles albimanus*, 278.
Seluja, G. A., et al., Male meiotic prophase in *Didelphis albiventris*: a comparative cytological and electron microscopical study, 218.
Semeniuk, P. and R. J. Griesbach, Use of somaclonal variation in the improvement of *Eustoma grandiflorum*, 114.
Separation of factors containing *R*-locus genes in *Mormoniella* stocks derived from aberrant segregation following incompatible crosses, S. L. Ryan, G. B. Saul, 2nd, and G. W. Conner, 273.
Sewall Wright and evolutionary biology, B. Wallace (Rev.), 60.
Shaw, R. F., Mendel's times (Rev.), 214.
Sheep: fox colors in relation to colors in mice and sheep, 235.
Shepard, J. F., et al., Cytogenetic and phenotypic variation in mesophyll cell-derived tetraploid potatoes, 15.
Sheridan, W. F. and J. K. Clark, Allelism testing by double pollination of lethal maize *dek* mutants, 49.
Shore, J. S. and S. C. H. Barrett, Inheritance of floral and isozyme polymorphisms in *Turnera ulmifolia* L., 44.
Shupe, J. L., et al., Hereditary multiple exostosis: a comparative human-equine-epidemiologic study, 171.
Simon, P. W. and N. E. Fanourakis: Analysis of genetic linkage in the cucumber, 238; Inheritance and linkage studies of the fruit epidermal structure in cucumber, 369.
Singh, I. P., et al., Y-chromosome length heteromorphisms in Delhi infants, 55.
Slinkard, A. E. and A. Vandenberg, Inheritance of a xantha chlorophyll deficiency in lentil, 130.
Smith, R. H., et al., Ribulose 1, 5-bisphosphate carboxylase activity in haploid plants of *Nicotiana tabacum*, 331.
Sokoloff, A. and D. Faustini, Dachs, a mutant in *Tribolium* with effects analogous to engrailed *Drosophila*, 2.
Solari, A. J., et al., Male meiotic prophase in *Didelphis albiventris*: a comparative cytological and electron microscopical study, 218.
Somatic recombination events in mosquitoes: three different karyotypes observed in the ovarian nurse cells of individual *Anopheles gambiae* s. *str.*, R. H. Hunt, 41.
Spasmodic, a mutation on chromosome 11 in the mouse, P. W. Lane, A. L. Ganser, A-L. Kerner, and W. F. White, 353.
Sponenberg, D. P. and B. Bigelow, An extension locus mosaic Labrador retriever dog, 406.
Spontaneous emergence of parents from the F_1 interspecific hybrids of *Coix* L., A. B. Sapre and D. S. Deshpande, 357.
Stack S. and L. Anderson, Hypotonic bursting method for spreading synaptonemal complexes of *Zea mays*, 178.

Statistics of natural selection, R. B. Eckhardt (Rev.), 216.
Staub, R. W., Leaf striping correlated with the presence of B chromosomes in maize, 71.
Sterk, A., et al., Autosomal recessive inheritance of goiter in Dutch goats, 298.
Stewart-Scott, I. A. and A. N. Bruère, Distribution of heterozygous translocations and aneuploid spermatocyte frequency in domestic sheep, 37.
Structural and physiological studies of a plastome cotton mutant with slow sorting out, A. R. Lax, K. C. Vaughn, S. O. Duke, and J. E. Endrizzi, 147.
Suarez, M. F., et al., Genetic variability and mapping of peptidase-4 *Anopheles albimanus*, 278.
Subrahmanyam, N. C., et al., Nucleolar behavior in pollen mother cells in the pigeonpea, 366.
Świtoński, M., Pericentric inversion in an X chromosome in the cow, 58.
Synteny of *SIS* and *IGLC* in owl monkeys: evidence for karyotype evolution, N. S. F. Ma, 87.

Taibi, L., et al., R-banding pattern of the prometaphase chromosomes of the goat, 225.
Takeichi, N., et al., New mutation causing hereditary hepatitis in the laboratory rat, 361.
Tang, H. and G. H. Liang, An improved technique for cytological observations and occurrence of polysomaticism in sorghum root tips, 51.
Tardy feathering locus (*t*) located on chromosome 1 in the chicken, J. J. Bitgood, C. A. Kiorpes, and J. A. Arias-C, 329.
Three autosomal mutants of the boll weevil, J. R. McCoy and J. E. Wright, 113.
To the memory of the fallen Nikolai Ivanovich Vavilov (1887–1943) (Commentary), C. C. Li, 343.
Tripathy, N. K., et al., Green pupa (*gp*), a male lethal in *Culex quinquefasciatus*, 277.
Tschermak: a non-discoverer of Mendelism. II. A critique, F. V. Monaghan and A. F. Corcos, 208.
Tucker, K. W., et al., Heritabilities of honey-bee alarm pheromone production, 29.
Turner, B. J., Evolution of genome size (Rev.), 61.

Use of somaclonal variation in the improvement of *Eustoma grandiflorum*, R. J. Griesbach and P. Semeniuk, 114.

Vandenberg, A. and A. E. Slinkard, Inheritance of a xantha chlorophyll deficiency in lentil, 130.
van Dijk, J. E., et al., Autosomal recessive inheritance of goiter in Dutch goats, 298.
van Ommen, G-J. B., et al., Autosomal recessive inheritance of goiter in Dutch goats, 298.
van Ooteghem, S. O., et al., Platinum coat color locus in the deer mouse, 183.
Vaughn, K. C., et al., Structural and physiological studies of a plastome cotton mutant with slow sorting out, 147.
Vorsa, N., Meiotic chromosome pairing and irregularities in blueberry interspecific backcross-1 hybrids, 395.
Vsevolodov, E. B., et al., Electron spin resonance spectrometrical study of the melanins in the wool of some North European sheep in relation to their color inheritance, 120.

Wagner, A. and M. Wolsan, Pelage mutant allele frequencies in domestic cat populations of Poland, 197.
Walden, D. B. and M. L. Polacco, Genetic, developmental, and environmental influences on *Oy-700* expression in maize, 81.
Wallace, B.: Sewall Wright and evolutionary biology (Rev.), 60; Fifty years of genetic load, the Wilhelmine E. Key 1986 invitational lecture, 134.
Wallace, M. E., et al., Chubby: a new autosomal recessive skeletal mutation producing dwarfism in the mouse, 8.
Warwick, S. I., Isozyme variation in proso millet, 210.
Wasserman, M. and R. H. Richardson, Evolution of Brazilian *Drosophila mulleri* complex species, 282.
Weeden, N. F. and G. A. Marx, Further genetic analysis and linkage relationships of isozyme loci in the pea: confirmation of the diploid nature of the genome, 153.
Weller, S. C. and C. N. Duncan, Heritability of glyphosate susceptibility among biotypes of field bindweed, 257.
Werth, C. R. and D. A. Dedera, Inheritance of three isozyme loci in the diploid fern, *Asplenium platyneuron*, 201.
White, W. F., et al., Spasmodic, a mutation on chromosome 11 in the mouse, 353.
Wikström, B., et al., Chubby: a new autosomal recessive skeletal mutation producing dwarfism in the mouse, 8.
Wilcox, J. R. and J. F. Cavins, Gene symbol assigned for linolenic acid mutant in the soybean, 410.
Willis, N. L., et al., Genetic variability and mapping of peptidase-4 in *Anopheles albimanus*, 278.
Wilson, F. D., Inheritance of pink filament in cotton, 223.
Wolsan, M. and A. Wagner, Pelage mutant allele frequencies in domestic cat populations of Poland, 197.
Wright, J. E. and J. R. McCoy, Three autosomal mutants of the boll weevil, 113.
Wurster-Hill, D. H., et al., Banded chromosome study of the Iriomote cat, 105.

Yamashita, T. S. and M. I. Osman, A model for evaluating the effect of son or daughter preference on population size, 377.
Yardley, D. G., Molecular developmental biology (Rev.), 63.
Y-chromosome length heteromorphisms in Delhi infants, V. R. Potluri, I. P. Singh, and M. K. Bhasin, 55.
Yoshida, M. C., et al., New mutation causing hereditary hepatitis in the laboratory rat, 361.